

Copper Braid and All Types of Copper Braid, Tinned Copper Braid
Manufacturer and Exporter



Amiable Impex

understands your values



Flat Braids

Highly Cu flexible pressed, Bare, Tin & Silver Coated. Flat Braid is mainly used for Earthing Connection & terminals etc.



Range	4 sq.mm and above
Wire Diameter	0.05mm (47swg) to 0.3mm(30swg)
Material	Electrolytic Copper
Finish	Bare Copper / Tinned / Silver

Flexible Connectors/Flexible Earth Straps



Range	4 sq.mm and above
Wire Diameter	0.05mm (47swg) to 0.3mm(30swg)
Material	Electrolytic Copper
Finish	Bare Copper / Tinned / Silver

Round Braids

Highly Cu flexible bare, tin & silver coated. Round braids are used for carbon brushes, relays, gaskets, telecom, automobiles, earthing etc.



Range	4 sq.mm and above
Wire Diameter	0.51 to 3mm
Material	Electrolytic Copper
Finish	Bare Copper / Tinned / Silver

Flexible Stranded Ropes



Range	4 sq.mm and above
Wire Diameter	0.51 to 3mm
Material	Electrolytic Copper
Finish	Bare Copper / Tinned / Silver

Bare Stranded Copper Conductors

(In PVC also Available)

Soft Drawn Cu Conductor to BS EN - 60228



Size mm ²	Stranding No / mm	Product Code
6	7 / 1.04	AI12-SCC -6
16	7 / 1.70	AI12-SCC -16
25	7 / 2.14	AI12-SCC -25
35	7 / 2.52	AI12-SCC -35
50	19 / 1.78	AI12-SCC -50
70	19 / 2.14	AI12-SCC -70
95	19 / 2.52	AI12-SCC -95
20	37 / 2.03	AI12-SCC-120
150	37 / 2.25	AI12-SCC-150
185	37 / 2.52	AI12-SCC-185
240	61 / 2.24	AI12-SCC-240



Amiable Impex

understands your values

AMIABLE IMPEX

Admin. Office - **AMIABLE IMPEX.**

11, Prem Nagar Bldg No.7, Gobind
Chhaya, Prem Nagar, Borivali(W),
Mumbai – 400092. India.
Phone: 022-28957101 / 9820733979

Workshop - **AMIABLE IMPEX**

495, P1, P1, P1, Unit no.3, Rohitvas,
Motapondha, Tal. Kaparada,
District Valsad, Vapi - 396191,
Gujarat, India
Contact: Ujjwal Shah - +91-9029533151

UJJWAL SHAH

E-mail: ujjwal.amiableimpex@gmail.com
Mob :+ 91- 9820733979

**Website: www.amiableimpexindia.com
www.copperbraided.com**

